

FORM PTO-1390 (Modified) (REV 5-93)		U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE		ATTORNEY'S DOCKET NUMBER	
TRANSMITTAL LETTER TO THE UNITED STATES DESIGNATED/ELECTED OFFICE (DO/EO/US) CONCERNING A FILING UNDER 35 U.S.C. 371				048662-0130	
				U.S. APPLICATION NO. (if known, see 37 C.F.R. 1.51) Unassigned 10/069786	
INTERNATIONAL APPLICATION NO. PCT/DE00/02902		INTERNATIONAL FILING DATE 25 August 2000		PRIORITY DATE CLAIMED 30 August 1999	
TITLE OF INVENTION CARD-SHAPED DATA CARRIER AND METHOD FOR PRODUCING SAME					
APPLICANT(S) FOR DO/EO/US Lothar FANNASCH, Dirk FISCHER, and Michael HENNEMEYER-SCHWENKER					
Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:					
<p>1. <input checked="" type="checkbox"/> This is a FIRST submission of items concerning a filing under 35 U.S.C. 371.</p> <p>2. <input type="checkbox"/> This is a SECOND or SUBSEQUENT submission of items concerning a filing under 35 U.S.C. 371.</p> <p>3. <input type="checkbox"/> This express request to begin national examination procedures (35 U.S.C. 371(f)) at any time rather than delay examination until the expiration of the applicable time limit set in 35 U.S.C. 371(b) and PCT Articles 22 and 39(1).</p> <p>4. <input checked="" type="checkbox"/> A proper Demand for International Preliminary Examination was made by the 19th month from the earliest claimed priority date.</p> <p>5. <input checked="" type="checkbox"/> A copy of the International Application as filed (35 U.S.C. 371(c)(2)) <input type="checkbox"/> is transmitted herewith (required only if not transmitted by the International Bureau). <input checked="" type="checkbox"/> has been transmitted by the International Bureau. <input type="checkbox"/> is not required, as the application was filed in the United States Receiving Office (RO/US)</p> <p>6. <input type="checkbox"/> A translation of the International Application into English (35 U.S.C. 371(c)(2)).</p> <p>7. <input checked="" type="checkbox"/> Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3)) <input type="checkbox"/> are transmitted herewith (required only if not transmitted by the International Bureau). <input type="checkbox"/> have been transmitted by the International Bureau. <input type="checkbox"/> have not been made; however, the time limit for making such amendments has NOT expired. <input checked="" type="checkbox"/> have not been made and will not be made.</p> <p>8. <input type="checkbox"/> A translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)).</p> <p>9. <input type="checkbox"/> An oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)).</p> <p>10. <input type="checkbox"/> A translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371(c)(5)).</p> <p>11. <input type="checkbox"/> Applicant claims small entity status under 37 CFR 1.27.</p>					
Items 12. to 17. below concern other document(s) or information included:					
<p>12. <input type="checkbox"/> An Information Disclosure Statement under 37 CFR 1.97 and 1.98.</p> <p>13. <input type="checkbox"/> An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.</p> <p>14. <input type="checkbox"/> A FIRST preliminary amendment. <input type="checkbox"/> A SECOND or SUBSEQUENT preliminary amendment.</p> <p>15. <input type="checkbox"/> A substitute specification.</p> <p>16. <input type="checkbox"/> A change of power of attorney and/or address letter.</p> <p>17. <input checked="" type="checkbox"/> Other items or information: Application Data Sheet (3 pages)</p>					

Foley & Lardner
Customer Number: 22428

22428

PATENT TRADEMARK OFFICE

SIGNATURE

NAME WILLIAM T. ELLIS

REGISTRATION NUMBER 26,874

Atty. Dkt. No. 048662-0130

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Lothar FANNASCH et al
Title: CARD-SHAPED DATA CARRIER
AND METHOD FOR PRODUCING
SAME
Appl. No.: 10/069,786
Filing Date: 06/21/2002
Examiner: Unassigned
Art Unit: Unassigned

PRELIMINARY AMENDMENT

Commissioner for Patents
Washington, D.C. 20231

Sir:

Prior to examination of the present Application, Applicants respectfully request that the above-identified prior application be amended as follows:

In the Specification:

Please amend the specification as follows:

On pages 2-3, delete the bridging paragraph, and replace this paragraph in accordance with 37 CFR §1.121. A marked up version showing changes is attached:

BRIEF DESCRIPTION OF THE DRAWINGS

Fig. 1 is a schematic diagram of a card-shaped data carrier in accordance with one embodiment of the present invention.

Fig 2 is a graph of the absorption wavelength spectrum of the layers before laser irradiation.

Fig. 3 is a schematic diagram of a triplet of colors in accordance with the present invention.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

Figure 1 shows a detail from a card-shaped data carrier which has three layers (1, 2, 3), each having different absorption spectra before the laser irradiation. These three layers (1, 2, 3) are preferably located on a white substrate layer (4). In addition, above the three layers (1, 2, 3) whose absorption is to be changed under the influence of the laser radiation, there is a covering layer (5) which is transparent in the visible wavelength range and in the range of the laser radiation used.

In the Claims:

In accordance with 37 CFR §1.121, please substitute for original claims 1-12 the following rewritten versions of the same claims, as amended. The changes are shown explicitly in the attached "Version with Markings to Show Changes Made."

1. (Amended) A card-shaped data carrier, comprising at least one layer into which visually readable information is introduced in the form of a change in the optical property on the basis of a material change effected irreversibly by a laser beam, characterized in that the absorption capacity of this layer for at least one wavelength ($\lambda \pm \Delta\lambda$) is at least partly reduced as a result of the laser radiation.

2. (Amended) A card-shaped data carrier as claimed in claim 1, wherein the layer has colored pigments which, under the influence of laser radiation with the wavelength ($\lambda \pm \Delta\lambda$), at least partly lose their absorption capacity for the wavelength ($\lambda \pm \Delta\lambda$)

3. (Amended) The card-shaped data carrier as claimed in claim 1, comprising

- two or more layers, with each having a different absorption capacity for at least one wavelength ($\lambda \pm \Delta\lambda$), and
- the absorption capacity of at least one layer for at least one wavelength ($\lambda \pm \Delta\lambda$) is at least partly reduced as a result of the laser radiation.

4. (Amended) The card-shaped data carrier as claimed in claim 1, comprising
- at least two layers each of which has a respectively different absorption capacity for a different wavelength ($\lambda_1 \pm \Delta\lambda_1$, $\lambda_2 \pm \Delta\lambda_2$, $\lambda_3 \pm \Delta\lambda_3$),
 - the absorption capacity of a first layer for a first wavelength ($\lambda_1 \pm \Delta\lambda_1$) being at least partly reduced under the influence of the laser radiation of the first wavelength ($\lambda_1 \pm \Delta\lambda_1$), and
 - the absorption capacity of a second layer for a second wavelength ($\lambda_2 \pm \Delta\lambda_2$) being at least partly reduced under the influence of the laser radiation of the second wavelength ($\lambda_2 \pm \Delta\lambda_2$).
5. (Amended) The card-shaped data carrier as claimed in claim 1, wherein at least one of the layers is at least partly transparent to visible light (400 nm to 800 nm).
6. (Amended) The card-shaped data carrier as claimed in claim 1, wherein the layers whose absorption capacity is reduced under the influence of the laser radiation are arranged on a white substrate layer.
7. (Amended) The card-shaped data carrier as claimed in claim 1, wherein a covering layer that is transparent to visible light is arranged over the layers whose absorption capacity is reduced under the influence of the laser radiation.
8. (Amended) The card-shaped data carrier as claimed in claim 2, wherein the layers are plastic films laminated one over another, in which the colored pigments are contained.
9. (Amended) The card-shaped data carrier as claimed in claim 2, wherein the layers are varnish layers arranged one above another, in which the colored pigments are contained.
10. (Amended) A method for applying information to card-shaped data carriers, the card-shaped data carrier having at least one layer into which visually

readable information is introduced in the form of a change in an optical property on the basis of a material change effected irreversibly by a laser beam, comprising

- the provision of a card-shaped data carrier which has at least one layer whose absorption capacity for at least one wavelength ($\lambda \pm \Delta\lambda$) is at least partly reduced as a result of the laser radiation, and

- acting on this layer of the card-shaped data carrier with the laser radiation, in order to reduce the absorption capacity of this layer for the wavelength ($\lambda \pm \Delta\lambda$).

11. (Amended) The method as claimed in claim 10, wherein

- the provision of a card-shaped data carrier which has two or more layers which have a respectively different absorption capacity for at least one wavelength ($\lambda \pm \Delta\lambda$), and the absorption capacity of at least one layer for at least one wavelength ($\lambda \pm \Delta\lambda$) is at least partly reduced as a result of the laser radiation,

- acting on this one layer of the card-shaped data carrier with the laser radiation, in order to reduce the absorption capacity of this layer for the wavelength ($\lambda \pm \Delta\lambda$).

12. (Amended) The method as claimed in claim 10 comprising

- the provision of a card-shaped data carrier which has at least a first layer and a second layer each of which has a respectively different absorption capacity for a different wavelength ($\lambda_1 \pm \Delta\lambda_1$, $\lambda_2 \pm \Delta\lambda_2$, $\lambda_3 \pm \Delta\lambda_3$),

- the absorption capacity of the first layer for a first wavelength ($\lambda_1 \pm \Delta\lambda_1$) being at least partly reduced under the influence of laser radiation of the first wavelength ($\lambda_1 \pm \Delta\lambda_1$),

- the absorption capacity of the second layer for a second wavelength ($\lambda_2 \pm \Delta\lambda_2$) being at least partly reduced under the influence of the laser radiation of the second wavelength ($\lambda_2 \pm \Delta\lambda_2$),

- acting on the first layer of the card body with laser radiation of the wavelength ($\lambda_1 \pm \Delta\lambda_1$), in order to reduce the absorption capacity of this layer for the wavelength ($\lambda_1 \pm \Delta\lambda_1$), and

- acting on the second layer of the card body with laser radiation of the second wavelength ($\lambda_2 \pm \Delta\lambda_2$), in order to reduce the absorption capacity of this layer for the second wavelength ($\lambda_2 \pm \Delta\lambda_2$).


Atty. Dkt. No. 048662-0130

REMARKS

Applicant respectfully requests that the foregoing amendments be made prior to examinations of the present application. No new matter has been added.

Respectfully submitted,

Date 6/21/02

By 

FOLEY & LARDNER
Washington Harbour
3000 K Street, N.W., Suite 500
Washington D.C., 20007-5143
Telephone: (202) 672-5485
Facsimile: (202) 672-5399

William T. Ellis
Attorney for Applicant
Registration No. 26,874

VERSION WITH MARKINGS TO SHOW CHANGES MADE**Marked up replacement paragraphs:**

Pages 2-3, bridging paragraph:

BRIEF DESCRIPTION OF THE DRAWINGS

Fig. 1 is a schematic diagram of a card-shaped data carrier in accordance with one embodiment of the present invention.

Fig 2 is a graph of the absorption wavelength spectrum of the layers before laser irradiation.

Fig. 3 is a schematic diagram of a triplet of colors in accordance with the present invention.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

Figure 1 shows a detail from a card-shaped data carrier which has three layers (1, 2, 3), each having different absorption spectra before the laser irradiation. These three layers (1, 2, 3) are preferably located on a white substrate layer (4). In addition, above the three layers (1, 2, 3) whose absorption is to be changed under the influence of the laser radiation, there is a covering layer (5) which is transparent in the visible wavelength range and in the range of the laser radiation used.

Marked up rewritten claims:

1. (Amended) A card-shaped data carrier, comprising at least one layer [(1, 2, 3)] into which visually readable information is introduced in the form of a change in the optical property on the basis of a material change effected irreversibly by a laser beam, characterized in that the absorption capacity of this layer [(1, 2, 3)] for at least one wavelength ($\lambda \pm \Delta\lambda$) is at least partly reduced as a result of the laser radiation.

2. (Amended) A card-shaped data carrier as claimed in claim 1, [characterized in that] wherein the layer [(1, 2, 3)] has colored pigments which, under the influence of laser radiation with the wavelength ($\lambda \pm \Delta\lambda$), at least partly lose their absorption capacity for the wavelength ($\lambda_2 \pm \Delta\lambda_2$).

- the absorption capacity of at least one layer [(1, 2, 3)] for at least one wavelength ($\lambda \pm \Delta\lambda$) is at least partly reduced as a result of the laser radiation.

- the absorption capacity of a second layer [(2)] for [the] a second wavelength ($\lambda_2 \pm \Delta\lambda_2$) being at least partly reduced under the influence of the laser radiation of the second wavelength ($\lambda_2 \pm \Delta\lambda_2$).

7. (Amended) The card-shaped data carrier as claimed in claim 1, [one of the preceding claims, characterized in that] wherein a covering layer [(5)] that is transparent to visible light is arranged over the layers [{1, 2, 3}] whose absorption capacity is reduced under the influence of the laser radiation.

8. (Amended) The card-shaped data carrier as claimed in claim 2, [one of claims 2 to 7, characterized in that] wherein the layers [(1, 2, 3)] are plastic films laminated one over another, in which the colored pigments are contained.

9. (Amended) The card-shaped data carrier as claimed in claim 2, [one of claims 2 to 7, characterized in that] wherein the layers [(1, 2, 3)] are varnish layers arranged one above another, in which the colored pigments are contained.

10. (Amended) A method for applying information to card-shaped data carriers, the card-shaped data carrier having at least one layer [(1, 2, 3)] into which visually readable information is introduced in the form of a change in [the] an optical property on the basis of a material change effected irreversibly by a laser beam, [characterized by] comprising

- the provision of a card-shaped data carrier which has at least one layer [(1, 2, 3)] whose absorption capacity for at least one wavelength ($\lambda \pm \Delta\lambda$) is at least partly reduced as a result of the laser radiation, and

- acting on this layer [(1, 2, 3)] of the card-shaped data carrier with the laser radiation, in order to reduce the absorption capacity of this layer for the wavelength ($\lambda \pm \Delta\lambda$).

11. (Amended) The method as claimed in claim 10, [characterized by] wherein

- the provision of a card-shaped data carrier which has two or more layers [(1, 2, 3)] which have a respectively different absorption capacity for at least one wavelength ($\lambda \pm \Delta\lambda$), and the absorption capacity of at least one layer [(1, 2, 3)] for at least one wavelength ($\lambda \pm \Delta\lambda$) is at least partly reduced as a result of the laser radiation,

- acting on this one layer [(1, 2, 3)] of the card-shaped data carrier with the laser radiation, in order to reduce the absorption capacity of this layer for the wavelength ($\lambda \pm \Delta\lambda$).

12. (Amended) The method as claimed in [either of claims] claim 10 [and 11, characterized by] comprising

WO 01/15910

PCT/DE00/2902

Card-shaped data carrier and method for producing same

The invention relates to a card-shaped data carrier and to a method for producing same.

Card-shaped data carriers of this type are identity cards, bank cards, credit cards or the like made of plastic.

DE 29 07 004 C2 discloses the practice of applying visually readable information to identity cards by means of laser radiation. In this case, the information becomes visible as a result of carbonization of the plastic material, the information standing out in black or gray from a background of a different color (for example opaque or transparent). Other colors cannot be produced by this method. In this case, the laser inscription is more secure than other inscription methods with respect to forgeries or manipulations.

Furthermore, it is also known that it is possible to engrave by means of laser radiation, in particular it is possible to remove individual layers locally from a multilayer card body. Use is made of this fact in accordance with DE 30 48 733 C2, in order to apply information of different colors to identity cards. Here, a multilayer card body is used whose layers have

- 2 -

different colors. As a result of the local removal of individual layers by means of laser radiation, the differently colored layer lying underneath becomes visible. This method of inscribing card-shaped data carriers has the disadvantage, however, that the surface of the data carrier is damaged by the removal.

It is an object of the invention to provide a card-shaped data carrier and a method for producing same which permits the application of colored information by means of reliable laser processing without damaging the surface of the data carrier.

This object is achieved by the characterizing features of the independent claims. In this case, the invention is based on the idea of reducing the absorption capacity of at least one layer of the data carrier for at least one wavelength (wavelength range) locally and selectively by means of laser radiation. The absorption and reflection characteristics of the layer are therefore changed locally, and therefore so is the color impression at this point.

Figure 1 shows a detail from a card-shaped data carrier which has three layers (1, 2, 3), each having different absorption spectra before the laser irradiation. These three layers (1, 2, 3) are preferably located on a white substrate layer (4). In addition, above the three

- 3 -

layers (1, 2, 3) whose absorption is to be changed under the influence of the laser radiation, there is a covering layer (5) which is transparent in the visible wavelength range and in the range of the laser radiation used.

Figure 2 shows the absorption spectra of the layers (1, 2, 3) before the laser irradiation.

The absorption behavior before the laser irradiation and, respectively, the reflection behavior after the laser inscription of the individual layers is effected by appropriately color-imparting pigments, which are added to the layers as additives. Ideally, a layer is bleached out completely locally by the laser radiation, so that the layer on its own is at least virtually transparent locally (in the laser writing spot).

In the exemplary embodiment illustrated, the first laser-sensitive layer (1) has an absorption maximum in the green spectral range. Before the laser irradiation, this layer (1) has a magenta color. The second laser-sensitive layer (2) has an absorption maximum in the red spectral range. Before the laser irradiation, this layer (2) has a cyan color. The third laser-sensitive layer (3) has an absorption maximum in the blue spectral range. Before the laser irradiation, this layer (3) is yellow.

- 5 -

subtractive color mixing. As it passes through the first layer (1), the green component is filtered out of the white light beam. The light beam passes without absorption through the second layer (2), which is transparent at this point after the application of the laser beam. As it passes through the third layer (3), the blue component is filtered out of the light beam, so that from the original white light beam, only the red component remains. Finally, the red light beam is reflected at the white substrate layer (4). To the observer, this point appears red.

Under irradiation with a blue laser beam of sufficient intensity, the third laser-sensitive layer (3) loses its absorption capacity locally where it was acted on by the blue laser radiation, and therefore this layer (3) is transparent at this point. When this point is viewed under white sunlight, this point (spot) appears blue, the coloration being effected on the basis of subtractive color mixing. As it passes through the first layer (1), the green component is filtered out of the white light beam. As it passes through the second layer (2), the red component is filtered out by means of absorption. The light beam then passes without absorption through the third layer (3), which is transparent at this point after the application of the laser beam, so that from the original white light beam only the blue component remains. Finally, the blue

- 6 -

light beam is reflected at the white substrate layer (4). To the observer, this point appears blue.

In this manner, an originally black, gray or dark brown spot can be set to be red, blue or green - depending on which of the laser-sensitive layers (1, 2, 3) in the sandwich construction is bleached.

Figure 3 illustrates the triplet of colors which may be set in this way. Of course, the application of the laser beam can also be carried out in such a way that the colored points lie one above another.

In one embodiment, the laser-sensitive layers (1, 2, 3) are plastic films, which are connected to one another by lamination. In this case, at least one laser-sensitive layer (1, 2, 3) can also be an adhesive layer between plastic films within the sandwich construction.

In an alternative embodiment, the laser-sensitive layers (1, 2, 3) are applied one after another, layer by layer, for example as varnish, to the white substrate (4) in a coating process.

As compared with a layer in which all the bleachable color pigments (magenta, cyan and yellow) are contained, the layer construction has a great advantage. This is because the colored pigments differ

4. The card-shaped data carrier as claimed in one of the preceding claims, characterized in that

- the same has at least two layers (1, 2, 3) which have a respectively different absorption capacity for at least two different wavelengths ($\lambda_1 \pm \Delta\lambda_1$, $\lambda_2 \pm \Delta\lambda_2$, $\lambda_3 \pm \Delta\lambda_3$),
- the absorption capacity of a first layer (1) for the wavelength ($\lambda_1 \pm \Delta\lambda_1$) being at least partly reduced under the influence of the laser radiation of the wavelength ($\lambda_1 \pm \Delta\lambda_1$),
- the absorption capacity of a second layer (2) for the wavelength ($\lambda_2 \pm \Delta\lambda_2$) being at least partly reduced under the influence of the laser radiation of the wavelength ($\lambda_2 \pm \Delta\lambda_2$).

5. The card-shaped data carrier as claimed in one of the preceding claims, characterized in that at least one of the layers (1, 2, 3) is at least partly transparent to visible light (400 nm to 800 nm).

6. The card-shaped data carrier as claimed in one of the preceding claims, characterized in that the layers (1, 2, 3) whose absorption capacity is reduced under the influence of the laser radiation are arranged on a white substrate layer (4).

7. The card-shaped data carrier as claimed in one of the preceding claims, characterized in that a covering

- 10 -

layer (5) that is transparent to visible light is arranged over the layers (1, 2, 3) whose absorption capacity is reduced under the influence of the laser radiation.

8. The card-shaped data carrier as claimed in one of claims 2 to 7, characterized in that the layers (1, 2, 3) are plastic films laminated one over another, in which the colored pigments are contained.

9. The card-shaped data carrier as claimed in one of claims 2 to 7, characterized in that the layers (1, 2, 3) are varnish layers arranged one above another, in which the colored pigments are contained.

10. A method for applying information to card-shaped data carriers, the card-shaped data carrier having at least one layer (1, 2, 3) into which visually readable information is introduced in the form of a change in the optical property on the basis of a material change effected irreversibly by a laser beam, characterized by

- the provision of a card-shaped data carrier which has at least one layer (1, 2, 3) whose absorption capacity for at least one wavelength ($\lambda \pm \Delta\lambda$) is at least partly reduced as a result of the laser radiation,
- acting on this layer (1, 2, 3) of the card-shaped data carrier with the laser radiation, in order to

- 11 -

reduce the absorption capacity of this layer for the wavelength $(\lambda \pm \Delta\lambda)$.

11. The method as claimed in claim 10, characterized by
 - the provision of a card-shaped data carrier which has two or more layers (1, 2, 3) which have a respectively different absorption capacity for at least one wavelength $(\lambda \pm \Delta\lambda)$, and the absorption capacity of at least one layer (1, 2, 3) for at least one wavelength $(\lambda \pm \Delta\lambda)$ is at least partly reduced as a result of the laser radiation,
 - acting on this one layer (1, 2, 3) of the card-shaped data carrier with the laser radiation, in order to reduce the absorption capacity of this layer for the wavelength $(\lambda \pm \Delta\lambda)$.

12. The method as claimed in either of claims 10 and 11, characterized by
 - the provision of a card-shaped data carrier which has at least two layers (1, 2, 3) which have a respectively different absorption capacity for at least two different wavelengths $(\lambda_1 \pm \Delta\lambda_1, \lambda_2 \pm \Delta\lambda_2, \lambda_3 \pm \Delta\lambda_3)$,
 - the absorption capacity of the first layer (1) for the wavelength $(\lambda_1 \pm \Delta\lambda_1)$ being at least partly reduced under the influence of laser radiation of the wavelength $(\lambda_1 \pm \Delta\lambda_1)$,

- 12 -

- the absorption capacity of the second layer (2) for the wavelength $(\lambda_2 \pm \Delta\lambda_2)$ being at least partly reduced under the influence of the laser radiation of the wavelength $(\lambda_2 \pm \Delta\lambda_2)$,
- acting on the first layer (1) of the card body with laser radiation of the wavelength $(\lambda_1 \pm \Delta\lambda_1)$, in order to reduce the absorption capacity of this layer for the wavelength $(\lambda_1 \pm \Delta\lambda_1)$,
- acting on the second layer (1) of the card body with laser radiation of the wavelength $(\lambda_2 \pm \Delta\lambda_2)$, in order to reduce the absorption capacity of this layer for the wavelength $(\lambda_2 \pm \Delta\lambda_2)$.

(12) NACH DEM VERTRAG ÜBER DIE INTERNATIONALE ZUSAMMENARBEIT AUF DEM GEBIET DES
PATENTWESENS (PCT) VERÖFFENTLICHTE INTERNATIONALE ANMELDUNG

(19) Weltorganisation für geistiges Eigentum
Internationales Büro



(43) Internationales Veröffentlichungsdatum
8. März 2001 (08.03.2001)

PCT

(10) Internationale Veröffentlichungsnummer
WO 01/15910 A3

(51) Internationale Patentklassifikation⁷: **G06K 1/12**

(21) Internationales Aktenzeichen: **PCT/DE00/02902**

(22) Internationales Anmeldedatum:
25. August 2000 (25.08.2000)

(25) Einreichungssprache: **Deutsch**

(26) Veröffentlichungssprache: **Deutsch**

(30) Angaben zur Priorität:
199 41 225.1 30. August 1999 (30.08.1999) DE
100 11 486.5 9. März 2000 (09.03.2000) DE

(71) Anmelder (für alle Bestimmungsstaaten mit Ausnahme von
US): **ORGA KARTENSYSTEME GMBH** [DE/DE]; Am
Hoppenhof 33, 33104 Paderborn (DE).

(72) Erfinder; und

(75) Erfinder/Anmelder (nur für US): **FANNASCH, Lothar**
[DE/DE]; Südstrasse 61, 33647 Bielefeld (DE). **FIS-
CHER, Dirk** [DE/DE]; Am Franzosenbach 32, 33106

Paderborn (DE). **HENNEMEYER-SCHWENKER,**
Michael [DE/DE]; Zur Imburg 4, 33165 Herbram (DE).

(81) Bestimmungsstaaten (national): AE, AG, AL, AM, AT,
AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU,
CZ, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR,
HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR,
LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ,
NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM,
TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(84) Bestimmungsstaaten (regional): ARIPO-Patent (GH,
GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), eura-
sisches Patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),
europäisches Patent (AT, BE, CH, CY, DE, DK, ES, FI,
FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI-Patent
(BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE,
SN, TD, TG).

Veröffentlicht:


— Mit internationalem Recherchenbericht.

(88) Veröffentlichungsdatum des internationalen
Recherchenberichts: 21. Juni 2001

[Fortsetzung auf der nächsten Seite]

(54) Title: **CARD-SHAPED DATA CARRIER AND METHOD FOR PRODUCING SAME**


(54) Bezeichnung: **KARTENFÖRMIGER DATENTRÄGER UND VERFAHREN ZU SEINER HERSTELLUNG**





(57) Abstract: The invention relates to a card-shaped data carrier consisting of at least one layer (1, 2, 3). Visually readable information in the form of a changed optical characteristic is introduced into the layer. Said characteristic is changed by irreversibly changing the material by means of a laser beam. The absorption capacity of said layer (1, 2, 3) for at least one wavelength ($\lambda \pm \lambda$) is at least partially reduced due to the laser radiation.

(57) Zusammenfassung: Kartenförmiger Datenträger, bestehend aus mindestens einer Schicht (1, 2, 3), in die visuell lesbare Informationen in Form einer Änderung der optischen Eigenschaft aufgrund einer irreversibel durch einen Laserstrahl bewirkten Materialveränderung eingebracht sind, wobei das Absorptionsvermögen dieser Schicht (1, 2, 3) für mindestens eine Wellenlänge ($\lambda \pm \lambda$) infolge der Laserstrahlung zumindest teilweise reduziert wird.

WO 01/15910 A3



Absorption spectrum
 before the laser irradiation



Declaration and Power of Attorney For Patent Application

Erklärung Für Patentanmeldungen Mit Vollmacht

German Language Declaration

Als nachstehend benannter Erfinder erkläre ich hiermit an Eides Statt:

dass mein Wohnsitz, meine Postanschrift, und meine Staatsangehörigkeit den im Nachstehenden nach meinem Namen aufgeführten Angaben entsprechen,

dass ich, nach bestem Wissen der ursprüngliche, erste und alleinige Erfinder (falls nachstehend nur ein Name angegeben ist) oder ein ursprünglicher, erster und Miterfinder (falls nachstehend mehrere Namen aufgeführt sind) des Gegenstandes bin, für den dieser Antrag gestellt wird und für den ein Patent beantragt wird für die Erfindung mit dem Titel: "CARD-SHAPED DATA CARRIER AND METHOD FOR PRODUCING SAME"

deren Beschreibung

(zutreffendes ankreuzen)

☐ hier beigelegt ist.

☐ am _____ unter der

Anmeldungsseriennummer

eingereicht wurde und am

abgeändert wurde

(falls tatsächlich abgeändert).

Ich bestätige hiermit, dass ich den Inhalt der obigen Patentanmeldung einschliesslich der Ansprüche durchgesehen und verstanden habe, die eventuell durch einen Zusatzantrag wie oben erwähnt abgeändert wurde.

Ich erkenne meine Pflicht zur Offenbarung irgendwelcher Informationen, die für die Prüfung der vorliegenden Anmeldung in Einklang mit Absatz 37, Bundesgesetzbuch, Paragraph 1.56(a) von Wichtigkeit sind, an.

Ich beanspruche hiermit ausländische Prioritätsvorteile gemäss Abschnitt 35 der Zivilprozessordnung der Vereinigten Staaten, Paragraph 119 aller unten angegebenen Auslandsanmeldungen für ein Patent oder eine Erfindersurkunde, und habe auch alle Auslandsanmeldungen für ein Patent oder eine Erfindersurkunde nachstehend gekennzeichnet, die ein Anmeldedatum haben, das vor dem Anmeldedatum der Anmeldung liegt, für die Priorität beansprucht wird. German Application No. 199 41 225.1 dated 30 August 1999 and German Application No. 100 11 486.5 dated 9 March 20008

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name,

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled
"CARD-SHAPED DATA CARRIER AND METHOD FOR PRODUCING SAME" ✓

the specification of which

(check one)

☐ is attached hereto.

☒ was filed on 25 August 2000 as ✓

PCT Application Serial No. PCT/DE00/02902 ✓

(U.S. Serial No. 10/069,786) ✓

and was amended on _____

(if applicable)

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, § 1.56(a).

I hereby claim foreign priority benefits under Title 35, United States Code, § 119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:
German Application No. 199 41 225.1 dated 30 August 1999 and German Application No. 100 11 486.5 dated 9 March 20008


German Language Declaration

Prior foreign applications:

Priorität beansprucht

Priority Claimed

YES(Ja) NO (Nein)

<u>199 41 225.1</u>	<u>Germany</u>	<u>30 August 1999</u> 
(Number)	(Country)	(Day/Month/Year Filed)
(Nummer)	(Land)	(Tag/Monat/Jahr eingereicht)

X _____

<u>100 11 486.5</u>	<u>Germany</u>	<u>9 March 2000</u>
(Number)	(Country)	(Day/Month/Year Filed)
(Nummer)	(Land)	(Tag/Monat/Jahr eingereicht)

X

(Number)	(Country)	(Day/Month/Year Filed)
(Nummer)	(Land)	(Tag/Monat/Jahr eingereicht)

Ich beanspruche hiermit gemäss Absatz 35 der Zivilprozessordnung der Vereinigten Staaten, Paragraph 120, den Vorzug aller unten aufgeführten Anmeldungen und falls der Gegenstand aus jedem Anspruch dieser Anmeldung nicht in einer früheren amerikanischen Patentanmeldung laut dem ersten Paragraphen des Absatzes 35 der Zivilprozessordnung der Vereinigten Staaten, Paragraph 112 offenbart ist, erkenne ich gemäss Absatz 37, Bundesgesetzbuch, Paragraph 1.56(a) meine Pflicht zur Offenbarung von Informationen an, die zwischen dem Anmeldedatum der früheren Anmeldung und dem nationalen oder PCT internationalen Anmeldedatum dieser Anmeldung bekannt geworden sind.

I hereby claim the benefit under Title 35, United States Code, § 120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, § 112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, § 1.56(a) which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

(Application Serial No.) (Anmeldeseriennummer)	(Filing Date) (Anmeldedatum)
1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9
10	10
11	11
12	12
13	13
14	14
15	15
16	16
17	17
18	18
19	19
20	20
21	21
22	22
23	23
24	24
25	25
26	26
27	27
28	28
29	29
30	30
31	31
32	32
33	33
34	34
35	35
36	36
37	37
38	38
39	39
40	40
41	41
42	42
43	43
44	44
45	45
46	46
47	47
48	48
49	49
50	50
51	51
52	52
53	53
54	54
55	55
56	56
57	57
58	58
59	59
60	60
61	61
62	62
63	63
64	64
65	65
66	66
67	67
68	68
69	69
70	70
71	71
72	72
73	73
74	74
75	75
76	76
77	77
78	78
79	79
80	80
81	81
82	82
83	83
84	84
85	85
86	86
87	87
88	88
89	89
90	90
91	91
92	92
93	93
94	94
95	95
96	96
97	97
98	98
99	99
100	100

(Status)
(patientiert, anhängig,
aufgegeben)

(Status)
(patented, pending,
abandoned)

(Application Serial No.) (Anmeldeseriennummer)	(Filing Date) (Anmeldedatum)
1	2010-01-01
2	2010-01-01
3	2010-01-01
4	2010-01-01
5	2010-01-01
6	2010-01-01
7	2010-01-01
8	2010-01-01
9	2010-01-01
10	2010-01-01
11	2010-01-01
12	2010-01-01
13	2010-01-01
14	2010-01-01
15	2010-01-01
16	2010-01-01
17	2010-01-01
18	2010-01-01
19	2010-01-01
20	2010-01-01
21	2010-01-01
22	2010-01-01
23	2010-01-01
24	2010-01-01
25	2010-01-01
26	2010-01-01
27	2010-01-01
28	2010-01-01
29	2010-01-01
30	2010-01-01
31	2010-01-01
32	2010-01-01
33	2010-01-01
34	2010-01-01
35	2010-01-01
36	2010-01-01
37	2010-01-01
38	2010-01-01
39	2010-01-01
40	2010-01-01
41	2010-01-01
42	2010-01-01
43	2010-01-01
44	2010-01-01
45	2010-01-01
46	2010-01-01
47	2010-01-01
48	2010-01-01
49	2010-01-01
50	2010-01-01
51	2010-01-01
52	2010-01-01
53	2010-01-01
54	2010-01-01
55	2010-01-01
56	2010-01-01
57	2010-01-01
58	2010-01-01
59	2010-01-01
60	2010-01-01
61	2010-01-01
62	2010-01-01
63	2010-01-01
64	2010-01-01
65	2010-01-01
66	2010-01-01
67	2010-01-01
68	2010-01-01
69	2010-01-01
70	2010-01-01
71	2010-01-01
72	2010-01-01
73	2010-01-01
74	2010-01-01
75	2010-01-01
76	2010-01-01
77	2010-01-01
78	2010-01-01
79	2010-01-01
80	2010-01-01
81	2010-01-01
82	2010-01-01
83	2010-01-01
84	2010-01-01
85	2010-01-01
86	2010-01-01
87	2010-01-01
88	2010-01-01
89	2010-01-01
90	2010-01-01
91	2010-01-01
92	2010-01-01
93	2010-01-01
94	2010-01-01
95	2010-01-01
96	2010-01-01
97	2010-01-01
98	2010-01-01
99	2010-01-01
100	2010-01-01

(Status)
(patientiert, anhängig,
aufgegeben)

(Status)
(patented, pending,
abandoned)

Ich erkläre hiermit, dass alle von mir in der vorliegenden Erklärung gemachten Angaben nach meinem besten Wissen und Gewissen der vollen Wahrheit entsprechen, und dass ich diese eidesstattliche Erklärung in Kenntnis dessen abgebe, dass wissenschaftlich und vorsätzlich falsche Angaben gemäss Paragraph 1001, Absatz 18 der Zivilprozessordnung der Vereinigten Staaten von Amerika mit Geldstrafe belegt und/oder Gefängnis bestraft werden können, und dass derartig wissenschaftlich und vorsätzlich falsche Angaben die Gültigkeit der vorliegenden Patentanmeldung oder eines darauf erteilten Patentes gefährden können.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

German Language Declaration

VERTRETUNGSVOLLMACHT: Als benannter Erfinder beauftrage ich hiermit den nachstehend benannten Patentanwalt (oder die nachstehend benannten Patentanwälte) und/oder Patent-Agenten mit der Verfolgung der vorliegenden Patentanmeldung sowie mit der Abwicklung aller damit verbundenen Geschäfte vor dem Patent- und Warenzeichenamt: *(Name und Registrationsnummer anführen)*

Stephen A. Bent, Reg. No. 29,768; David A. Blumenthal, Reg. No. 26,257; William T. Ellis, Reg. No. 26,874; John J. Feldhaus, Reg. No. 28,822; Patricia D. Granados, Reg. No. 33,683; John P. Isacson, Reg. No. 33,715; Michael D. Kaminski, Reg. No. 32,904; Kenneth E. Krosin, Reg. No. 25,735; Eugene M. Lee, Reg. No. 32,039; Richard Linn, Reg. No. 25,144; Peter G. Mack, Reg. No. 26,001; Brian J. McNamara, Reg. No. 32,789; Sybil Meloy, Reg. No. 22,749; George E. Quillin, Reg. No. 32,792; Colin G. Sandercock, Reg. No. 31,298; Bernhard D. Saxe, Reg. No. 28,665; Charles F. Schill, Reg. No. 27,590; Richard L. Schwaab, Reg. No. 25,479; Arthur Schwartz, Reg. No. 22,115; Harold C. Wegner, Reg. No. 25,258.

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith. *(List name and registration number)*

Stephen A. Bent, Reg. No. 29,768; David A. Blumenthal, Reg. No. 26,257; William T. Ellis, Reg. No. 26,874; John J. Feldhaus, Reg. No. 28,822; Patricia D. Granados, Reg. No. 33,683; John P. Isacson, Reg. No. 33,715; Michael D. Kaminski, Reg. No. 32,904; Kenneth E. Krosin, Reg. No. 25,735; Eugene M. Lee, Reg. No. 32,039; Richard Linn, Reg. No. 25,144; Peter G. Mack, Reg. No. 26,001; Brian J. McNamara, Reg. No. 32,789; Sybil Meloy, Reg. No. 22,749; George E. Quillin, Reg. No. 32,792; Colin G. Sandercock, Reg. No. 31,298; Bernhard D. Saxe, Reg. No. 28,665; Charles F. Schill, Reg. No. 27,590; Richard L. Schwaab, Reg. No. 25,479; Arthur Schwartz, Reg. No. 22,115; Harold C. Wegner, Reg. No. 25,258.

Telefongespräche bitte richten an: William T. Ellis
(Name und Telefonnummer)
(202) 672-5300

Direct Telephone Calls to: William T. Ellis
(Name and telephone number)
(202) 672-5300



Postanschrift: FOLEY & LARDNER
3000 K Street, N.W., Suite 500
P.O. Box 25696
Washington, D.C. 20007-8696



Send Correspondence to: FOLEY & LARDNER
3000 K Street, N.W., Suite 500
P.O. Box 25696
Washington, D.C. 20007-8696

Voller Name des einzigen oder ursprünglichen Erfinders: Lothar FANNASCH <i>1-00</i>	Full name of first inventor: Lothar FANNASCH
Unterschrift des Erfinders <i>Lothar Fannasch</i> Datum <i>3.5.02</i>	Inventor's signature <i>Lothar Fannasch</i> Date <i>3.5.02</i>
Wohnsitz Bielefeld, Germany	Residence Bielefeld, Germany <i>DEX</i>
Staatsangehörigkeit Germany	Citizenship Germany <input checked="" type="checkbox"/>
Postanschrift Südstrasse 61, 33647 Bielefeld, Germany	Post Office Address Südstrasse 61, 33647 Bielefeld, Germany

(Bitte entsprechende Informationen und Unterschriften im Falle von dritten und weiteren Miterfindern angeben.)

(Supply similar information and signature for third and subsequent joint inventors.)

Voller Name des einzigen oder ursprünglichen Erfinders: Dirk FISCHER 2-00	Full name of second inventor: Dirk FISCHER
Unterschrift des Erfinders Datum 29.04.02 	Inventor's signature Date 29.04.02 
Wohnsitz Paderborn, Germany	Residence Paderborn, Germany <i>DEX.</i>
Staatsangehörigkeit Germany	Citizenship Germany ✓
Postanschrift Am Franzosenbach 32, 33016 Paderborn, Germany	Post Office Address Am Franzosenbach 32, 33016 Paderborn, Germany

Voller Name des einzigen oder ursprünglichen Erfinders: Michael HENNEMEYER-SCHWENKER 3-00	Full name of third inventor: Michael HENNEMEYER-SCHWENKER
Unterschrift des Erfinders Datum 28.4.02 	Inventor's signature Date 28.4.02 
Wohnsitz Herbram, Germany	Residence Herbram, Germany <i>DEX.</i>
Staatsangehörigkeit Germany	Citizenship Germany
Postanschrift Zur Imburg 4, 33165 Herbram, Germany	Post Office Address Zur Imburg 4, 33165 Herbram, Germany

EIDESSTATTLICHE ERKLÄRUNG UND VOLLMACHT FÜR ERSTANMELDUNGEN